

# NSR®FPV TAS, Saqr-7

Special attack/reconnaissance UAV



- ▶ **Frequency offset control and its own antennas for each of the frequency ranges: 190-1020 MHz, 2100GHz-2700 MHz**
- ▶ **Electronic warfare direction finding.**
- ▶ **Analog camera with 30X zoom, Night camera, Thermal camera with a rotary mechanism**
- ▶ **Up to 3 receivers with auto-switching in case of loss of communication**




FPV – UAV 7" for attack or intelligence. It can be used in navigation modes and fly on assignment. Uses LORA, ELRS, CRSF protocol control. The ability to install up to 3 receivers with packet separation in case of loss of communication.

#### Possible modifications:

- Video 1.2GHz/3.3GHz/4.9-6 GHz analog protocol Video digital protocol: DJI, DJI03, HDZero, Walksnail; Charge initiation is possible remotely or using a magnetometer, barometer, altimeter, accelerometer, lidar. Optical target guidance and target capture allows to avoid enemy electronic warfare.

<b>Size</b>	7 inch
<b>MTOW</b>	4,2 kg
<b>Engine type</b>	electric
<b>Maximum Range</b>	30 km
<b>Cruise Speed</b>	120 km/h
<b>Max flight time</b>	30 min
<b>Attack Guidance</b>	GNSS, Visual Navigation optical guidance, automatic aiming using AI, Optical fiber
<b>Payload</b>	3,5 kg



**Rasid Radar  
Equipment  
Manufacturing,  
L.L.C.**

📍 Tawazun Industrial Park  
Abu Dhabi, UAE  
↳ P.O. Box: 136565  
↗ nsr-defense.ae  
✉ info@nsr-defense.ae  
📞 +971 5476 70 500

